-	•••		r	12:
L	Hits	Search Text	DB	Time stamp
Number				
-	43	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
-		mail\$5))) and (replac\$4 near11 attach\$7)	EPO; JPO;	10:50
		and (send\$4 forward\$4 transmit\$6	DERWENT;	
		transfer\$4 receiv\$4)	IBM_TDB	
-	40	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/03
		mail\$5)) same (send\$4 forward\$4	EPO; JPO;	11:08
		transmit\$6 transfer\$4 receiv\$4)) and	DERWENT;	
		(replac\$4 near11 attach\$7)	IBM TDB	
-	19	((e-mail email (electronic\$4 adj2	USPĀT;	2003/02/03
		mail\$5)) same (send\$4 forward\$4	EPO; JPO;	11:12
		transmit\$6 transfer\$4 receiv\$4)) and	DERWENT;	
		(replac\$4 near11 attach\$7) and (public\$4	IBM TDB	
		privat\$4 encryp\$7)	-	
_	59		USPAT;	2003/02/03
		mail\$5)) and attachment\$4) and ((notif\$8	EPO; JPO;	14:53
		prompt\$4 ask\$4) near11 (user client	DERWENT;	11.00
		sender receiver recip\$6) same (eras\$4	IBM TDB	
		delet\$7)) and (telephon\$4 near11	1511-155	
		network\$4)		
	7	((e-mail email (electronic\$4 adj2	IISDAT.	2003/02/03
	'	mail\$5)) and attachment\$4) and ((notif\$8	USPAT; EPO; JPO;	
				14:54
		prompt\$4 ask\$4) near11 (user client	DERWENT;	
		sender receiver recip\$6) same (eras\$4	IBM_TDB	
		delet\$7) same attach\$7) and (telephon\$4		1
	10	nearl1 network\$4)		
-	18	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT;	2003/02/04
		and ((attachment\$4 attach\$4) near11	EPO; JPO;	09:18
		(delet\$7 eras\$4)) and ((send\$4 forward\$4	DERWENT;	
		recipient\$4 receiv\$4 transmi\$7	IBM_TDB	
		transfer\$4) near11 (notif\$4		
		notification\$4 prompt\$6 acknowledg\$7))	l ·	
		and ((plurality) near7 (recipient\$4 user		
		client member custumer consumer))		
-	24	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
		mail\$5)) and ((attachment\$4 attach\$4)	EPO; JPO;	09:54
		nearl1 (delet\$7 eras\$4)) and ((DERWENT;	
		recipient\$4 user client member custumer	IBM_TDB	
ļ		consumer) nearl1 (notif\$4 notification\$4	_	
		prompt\$6 acknowledg\$7))) not ((e-mail		
		email (electronic\$4 adj2 mail\$5)) and		
		((attachment\$4 attach\$4) near11 (delet\$7		
1		eras\$4)) and ((send\$4 forward\$4	ĺ	
		recipient\$4 receiv\$4 transmi\$7		
		transfer\$4) nearl1 (notif\$4]	
		notification\$4 prompt\$6 acknowledg\$7)))		
-	5	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT;	2003/02/04
1		and ((attachment\$4 attach\$4) near11	EPO; JPO;	09:55
		(delet\$7 eras\$4)) same ((recipient\$4	DERWENT;	
		user client member custumer consumer)	IBM_TDB	
		nearl1 (notif\$4 notification\$4 prompt\$6	****-***	
		acknowledg\$7))		
l _	7	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT;	2003/02/04
	'	and ((attachment\$4 attach\$4) near11	EPO; JPO;	10:27
		(delet\$7 eras\$4)) and ((recipient\$4 user		10.27
			DERWENT;	
		client member custumer consumer) near11	IBM_TDB	
		<pre>(notif\$4 notification\$4 prompt\$6 acknowledg\$7) near11 (delet\$7 eras\$4))</pre>		
i				
		and (notif\$4 notification\$4 prompt\$6		
		acknowledg\$7) and (delet\$7 eras\$4)		0000/00/00
-	51	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT;	2003/02/04
		and ((attachment\$4 attach\$4) same	EPO; JPO;	10:34
		(delet\$7 eras\$4) same (recipient\$4 user	DERWENT;	
		client member custumer consumer) same	IBM_TDB	
		(notif\$4 notification\$4 prompt\$6		
		acknowledg\$7))		

-	42	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
		mail\$5)) and ((attachment\$4 attach\$4)	EPO; JPO;	10:35
		same (delet\$7 eras\$4) same (recipient\$4	DERWENT;	
		user client member custumer consumer)	IBM_TDB	1
		same (notif\$4 notification\$4 prompt\$6		
		acknowledg\$7))) not ((e-mail email		
		(electronic\$4 adj2 mail\$5)) and		
		((attachment\$4 attach\$4) near11 (delet\$7		
		eras\$4)) and ((send\$4 forward\$4		
		recipient\$4 receiv\$4 transmi\$7		
		transfer\$4) near11 (notif\$4		
_	46	notification\$4 prompt\$6 acknowledg\$7)))	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2002 (00 (04
	1 40	((e-mail email (electronic\$4 adj2 mail\$5))) and (replac\$4 near11 attach\$7)	USPAT; EPO; JPO;	2003/02/04
		maily5/// and (replacy4 health accach\$/)	DERWENT;	14:53
			IBM TDB	
_	3	(((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
		mail\$5))) and (replac\$4 near11 attach\$7))	EPO; JPO;	14:54
		and telephon\$5 and (stor\$4 sav\$4) and	DERWENT;	11.51
		archival\$4 and (e-mail email	IBM TDB	
		(electronic\$4 adj2 mail\$5))		
-	103	(telephon\$5 near6 network\$4) and (stor\$4	USPAT;	2003/02/04
		sav\$4) and archival\$4 and (e-mail email	EPO; JPO;	14:55
		(electronic\$4 adj2 mail\$5))	DERWENT;	
			IBM_TDB	
-	28	(telephon\$5 near6 network\$4) and	USPĀT;	2003/02/04
		(attachment\$4 and (stor\$4 sav\$4)) and	EPO; JPO;	14:58
		archival\$4 and (e-mail email	DERWENT;	
		(electronic\$4 adj2 mail\$5))	IBM_TDB	
-	26	(e-mail email (electronic\$4 adj2 mail\$5))	USPAT	2003/02/04
		and ((qur\$4 messag\$4 notif\$8 prompt\$4		15:36
		ask\$4) near11 (recipient\$4 user client		
		member custumer consumer computer)) and		
_	15	(replac\$4 near11 attach\$8) ((e-mail email (electronic\$4 adj2	ttcpam.	2002/02/04
] 13	mail\$5))) and (replac\$4 near11 attach\$7)	USPAT; EPO; JPO;	2003/02/04
		and (send\$4 forward\$4 transmit\$6	DERWENT;	15:37
		transfer\$4 receiv\$4) and telephon\$5	IBM TDB	
_	24	((e-mail email (electronic\$4 adj2	USPAT;	2003/02/04
		<pre>mail\$5))) and (replac\$4 near11 attach\$7)</pre>	EPO; JPO;	15:37
		and (send\$4 forward\$4 transmit\$6	DERWENT;	
		transfer\$4 receiv\$4) and (authentic\$7	IBM TDB	
		<pre>public\$4 privat\$4 encryp\$7)</pre>	_	
-	145	((e-mail email (electronic\$4 adj2	USPAT;	2003/07/16
		<pre>mail\$5)) and attachment\$4) and ((notif\$8</pre>	EPO; JPO;	14:23
		prompt\$4 ask\$4) near11 (user client	DERWENT;	
		sender receiver recip\$6) same (eras\$4	IBM_TDB	
	,,	delet\$7))		
-	14	(((e-mail email (electronic\$4 adj2	USPAT;	2003/07/15
		<pre>mail\$5)) and attachment\$4) and ((notif\$8 prompt\$4 ask\$4) near11 (user client</pre>	EPO; JPO;	17:05
]		sender receiver recip\$6) same (eras\$4	DERWENT;	
]		delet\$7))) and ((notif\$6 notificat\$7	IBM_TDB	
1		e-mail\$4 email\$4 (electronic adj mail\$4))		
		near11 (recipient receiv\$4) same (delet\$6		
]		eras\$4)) and ((user client sender		
		receiver recip\$6) same (view\$4 download\$4		
		receiv\$4) same attach\$8 same (delet\$6		
]		eras\$4))		
-	75	((notif\$6 notificat\$7 e-mail\$4 email\$4	USPAT;	2003/07/15
]		(electronic adj mail\$4)) near11	EPO; JPO;	17:07
]		(recipient receiv\$4) same (delet\$6	DERWENT;	
		eras\$4)) and ((user client sender	IBM_TDB	
		receiver recip\$6) same (view\$4 download\$4		
		receiv\$4) same attach\$8 same (delet\$6		
L		eras\$4))		

			•	
-	62	((e-mail email (electronic\$4 adj2 mail\$5)) nearll (user client sender receiver recip\$6)) and ((notif\$6 notificat\$7 e-mail\$4 email\$4 (electronic adj mail\$4)) nearll (recipient receiv\$4) same (delet\$6 eras\$4)) and ((user client sender receiver recip\$6) same (view\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 17:20
-	4	download\$4 receiv\$4) same attach\$8 same (delet\$6 eras\$4)) ((e-mail email (electronic\$4 adj2 mail\$5)) nearl1 (user client sender receiver recip\$6)) and ((notif\$6 notificat\$7 indicat\$7) nearl1 (recipient receiv\$4) same (delet\$6 eras\$4)) and ((user client sender receiver recip\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/15 17:50
-	2	same (view\$4 download\$4 receiv\$4) same attach\$8 near8 (delet\$6 eras\$4)) (receiv\$4 send\$4 forward\$4 transfer\$7 trasmi\$7) near7 (notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 11:38
-	3	attach\$7 (notif\$7 notification alert\$4) same (user member client receiver recipient subscriber sender) same ((delet\$6 eras\$4) near6 attach\$7)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/07/16 12:49
-	5	<pre>(e-mail email (electronic\$4 adj2 mail\$5)) and ((attachment\$4 attach\$4) near11 (delet\$7 eras\$4) same (recipient\$4 user client member custumer consumer) near11 (notif\$4 notification\$4 prompt\$6 acknowledg\$7))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 12:57
_	_ 20	<pre>((e-mail email (electronic\$4 adj2 mail\$5)) nearl1 (user client sender receiver recip\$6)) and ((notif\$6 notificat\$7) nearl1 (recipient receiv\$4) same (delet\$6 eras\$4)) and ((user client sender receiver recip\$6) same (view\$4 download\$4 receiv\$4) same attach\$8 same (delet\$6 eras\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:22
_	22	((e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5)) same attach\$7) and ((notif\$6 notification prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (download\$4 view\$4 look\$4 retriev\$4) same (attach\$7 fil\$4 data information)) and ((notif\$6 notification prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:22
_	10	<pre>(notif\$7 notification alert\$4) near7 (user member client receiver recipient subscriber) near7 (retriev\$4 download\$4 view\$4) near7 attach\$7</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:22
-	13	<pre>(notif\$7 notification alert\$4) same (user member client receiver recipient subscriber sender) same (delet\$6 eras\$4) same attach\$7 same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:23
-	45	((e-mail email (electronic\$4 adj2 mail\$5)) and attachment\$4) and ((e-mail email messag\$6 messeng\$6 (electronic\$4 adj2 mail\$5)) same attach\$7 same (remov\$5 eras\$4 delet\$7)) and ((notif\$8 prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (eras\$4 delet\$7))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:23

		•	.•	
_	47	<pre>(((e-mail email (electronic\$4 adj2 mail\$5)) and attachment\$4) and ((notif\$8 prompt\$4 ask\$4) nearl1 (user client sender receiver recip\$6) same (eras\$4 delet\$7))) and ((notif\$6 notificat\$7 e-mail\$4 email\$4 (electronic adj mail\$4)) nearl1 (recipient receiv\$4) same (delet\$6 eras\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:24
-	857	(e-mail email (electronic\$4 adj2 mail\$5) attachment\$4) with (hash\$4 encrypt\$6 decrypt\$6)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/06/28 12:28
-	35	<pre>((e-mail email (electronic\$4 adj2 mail\$5)) nearl1 (user client sender receiver recip\$6)) and ((notif\$6 notificat\$7 indicat\$7) nearl1 (recipient receiv\$4) same (delet\$6 eras\$4)) and ((user client sender receiver recip\$6) same (view\$4 download\$4 receiv\$4) same attach\$8 same (delet\$6 eras\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 12:46
_	81	<pre>(e-mail email (electronic\$4 adj2 mail\$5)) and (attachment\$4 with (hash\$4 encrypt\$6 decrypt\$6))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/06/30 12:46
_	26	<pre>(((e-mail email (electronic\$4 adj2 mail\$5)) and attachment\$4) and ((notif\$8 prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (eras\$4 delet\$7))) and ((notif\$6 notificat\$7 e-mail\$4 email\$4 (electronic adj mail\$4)) near11 (recipient receiv\$4) near11 (delet\$6 eras\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 12:46
-	15	<pre>((notif\$7 notification alert\$4) same (user member client receiver recipient subscriber sender)) and ((delet\$6 eras\$4) near11 attach\$7 near11 (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5)))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 12:46
-	9		USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 12:46
-	12	((sav\$4 stor\$4) near8 attach\$7) and ((notif\$6 notification prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (download\$4 view\$4 look\$4 retriev\$4 receiv\$5) same (attach\$7 fil\$4 data information)) and ((notif\$6 notification prompt\$4 ask\$4) near11 (user client sender receiver recip\$6) same (eras\$4 delet\$7) same (e-mail\$4 email\$4 (electronic\$4 adj2 mail\$5)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 12:46